

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Diane Dunn McKay on 31 March 2010. The application has been amended as follows:

In the specification paragraph [0013] second line, as amended 1/15/10, "having permeability" has been deleted.

In line 7 of the same paragraph [0013], --layers-- has been inserted before "composed".

In claim 1, line 2, "having permeability" has been deleted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Danton DeMille whose telephone number is (571) 272-4974. The examiner can normally be reached on M-F from 8:30 to 6:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu, can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access

Art Unit: 3771

---

to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

5 April 2010

*/Danton DeMille/*

Danton DeMille  
Primary Examiner  
Art Unit 3771